



HERO

INNOVATIVE **COLOR** TECHNOLOGY



- D60 • D55 • D54 • D24 • D23 • D18
- Manual Colorant Dispensers





● ● ● **D60 Series Rotary**

4.5 Quart (4.25 Liter)
 Non-magnetic stainless steel canisters.
 7oz (200ml) Maximum colorant dispense capability.



● ● ● **D55 Series Rotary**

2.5 Quart (2.3 Liter)
 Non-magnetic stainless steel canisters.
 7oz (200ml) Maximum colorant dispense capability.



● ● ● **D54 Series Rotary**

2.5 Quart (2.3 Liter)
 Polymer nylon solvent resistant canisters.
 7oz (200ml) Maximum colorant dispense capability.

Features

(for D60, D55 and D54 unless otherwise indicated)

- Micro-Gauge™ for fractional increment dispensing
- Auto Accu-Purge™ ensures complete dispense reaches the can
- Stainless steel front panel and shelf top (D60 series only)
- New ergonomically designed valve handles for left or right hand operation
- New modular stand for easy conversion from countertop to floorstand
- Electric, automatic time controlled bottom agitation (10 minutes every 7 hours)

Options (for D60, D55 and D54)

- 110 Volt/60 Hz or 220 Volt/50Hz electric agitation
- Custom seals / nozzles available to meet your special requirements
- Air drive explosion proof agitation upgrade available
- Quick Release canister upgrade (option on D55, D54, D24 & D23 series)



QUICK RELEASE
 Removable canister option available on all 2.5 Quart canister models.

SPECIFICATIONS

		D60SRM	D55SRM	D54SRM
● 12 Canister Countertop	Dimension Shipping	30.5" H x 28" W x 28" D 160 lbs 31" H x 32" W x 32" D	28.5" H x 28" W x 28" D 145 lbs 31" H x 32" W x 32" D	28.5" H x 28" W x 28" D 135 lbs 31" H x 32" W x 32" D
● 12 Canister Floorstand	Dimension Shipping	59.5" H x 28" W x 28" D 205 lbs 50" H x 32" W x 32" D	57.5" H x 28" W x 28" D 190 lbs 50" H x 32" W x 32" D	57.5" H x 28" W x 28" D 180 lbs 50" H x 32" W x 32" D
● 16 Canister Countertop	Dimension Shipping	28.5" H x 31" W x 31" D 200 lbs 31" H x 32" W x 32" D	28.5" H x 31" W x 31" D 190 lbs 31" H x 32" W x 32" D	28.5" H x 31" W x 31" D 180 lbs 31" H x 32" W x 32" D
● 16 Canister Floorstand	Dimension Shipping	57.5" H x 31" W x 31" D 245 lbs 50" H x 32" W x 32" D	57.5" H x 31" W x 31" D 235 lbs 50" H x 32" W x 32" D	57.5" H x 31" W x 31" D 225 lbs 50" H x 32" W x 32" D



● ● ● **D24 Series Rotary**

2.5 Quart (2.3 Liter)
 Non-magnetic stainless steel canisters.
 2oz (60ml) Maximum colorant dispense capability.



● ● ● **D23 Series Rotary**

2.5 Quart (2.3 Liter)
 Polymer nylon solvent resistant canisters.
 2oz (60ml) Maximum colorant dispense capability.



● ● ● **D18 Series Rotary**

1.8 Quart (1.7 Liter)
 Polymer nylon solvent resistant canisters.
 1oz (30ml) Maximum colorant dispense capability.

Features

(for D24, D23 and D18 unless otherwise indicated)

- Available with Standard gauges or optional Micro-Gauge™'s for fractional increment dispensing (D24 and D23 only)
- LongWear Teflon® seals
- High precision stainless steel cylinder pump tube
- Auto Accu-Purge™'s ensures complete dispense reaches the can (D24 and D23 only)
- New ergonomically designed valve handles (D24 and D23 only)
- New modular stand for easy conversion from countertop to floorstand
- Electric, automatic time controlled bottom agitation (10 minutes every 7 hours)

Options (for D24, D23 and D18 unless otherwise indicated)

- 110Volt/60 Hz or 220Volt/50Hz electric agitation
- Custom seals / nozzles available to meet your special requirements
- Air drive explosion proof agitation upgrade available
- Quick Release canister upgrade (option on D55,D54, D24 & D23)
- Micro-Gauge™ for fractional increment dispensing (option on D24 & D23)



COUNTERTOP
 model shown D24SRM12C
 All dispenser models are available in countertop configuration

SPECIFICATIONS

		D24SR/D24SRM	D23PR/D23PRM	D18PR
● 12 Canister Countertop	Dimension Shipping	23" H x 28" W x 28" D 125 lbs 24" H x 32" W x 32" D	23" H x 28" W x 28" D 120 lbs 24" H x 32" W x 32" D	21" H x 27" W x 27" D 90 lbs 24" H x 32" W x 32" D
● 12 Canister Floorstand	Dimension Shipping	51" H x 28" W x 28" D 170 lbs 43" H x 32" W x 32" D	51" H x 28" W x 28" D 165 lbs 43" H x 32" W x 32" D	49" H x 27" W x 27" D 135 lbs 43" H x 32" W x 32" D
● 16 Canister Countertop	Dimension Shipping	23" H x 31" W x 31" D 155 lbs 24" H x 32" W x 32" D	23" H x 31" W x 31" D 140 lbs 24" H x 32" W x 32" D	21" H x 30" W x 30" D 120 lbs 24" H x 32" W x 32" D
● 16 Canister Floorstand	Dimension Shipping	51" H x 31" W x 31" D 200 lbs 43" H x 32" W x 32" D	51" H x 31" W x 31" D 185 lbs 43" H x 32" W x 32" D	49" H x 30" W x 30" D 165 lbs 43" H x 32" W x 32" D

● ● ● INLINE COLORANT DISPENSERS



Technical specifications

- Inline Systems available in 4 position sections up to 20 positions
- Custom order with your choice of canister and gauge type; D18, D23, D24, D54, D55 or D60 series
- Automatic electric time controlled bottom agitation (10 minutes every 7 hours)
- Micro-Gauge™ for fractional increment dispensing or Standard Gauges available with D23 and D24 series canisters



Options

- Quick release canisters
- 12 or 16 position roller line
- 110 volt / 60 Hz or 220 volt / 50 Hz electric agitation
- Custom seals available to meet your special requirements

● ● ● GAUGES & CANISTERS



Standard Gauge

- Total-Lok™ memory gauge
- Set the gauge once for multiple dispenses
- Simple to use, and accurate
- 1/2 shot capable

Available Gauge Dispensing Increments

1 oz dispense = _____ ml	Formula System	No. of divisions per oz (ml)
1 oz = 29.57 ml	U.S.A.	1/32 1/48 1/64 1/96
1 oz = 31.23 ml	U.S.A. Metric	1/32 1/48 1/64 1/96
1 oz = 35.49 ml	U.S.A. Imperial	1/32 1/48 1/64 1/96
1 ml = 1 ml	Metric	1/5 1/10
1 oz = 28.41 ml	Imperial	1/32 1/48 1/64 1/96



Micro Gauge™


- allows for fractional increment dispense (1/2 shot, 1/4 shot, etc.)
- Total Lok™ memory gauge
- Standard on: D60, D55 & D54
- Option on: D23 & D24



Valve Mechanism

- Auto Accu-Purge™ ensures complete dispense reaches the can and reduces dripping and buildup of colorant
- Easy to use, durable and reliable
- Vertical throw style valve system
- Positive seal wiper arm reduces drying in the nozzle
- New ergonomically designed valve handle allows for left or right hand friendly operation

● ● ● CANISTER



Please note

Some features are optional on some models. Teflon® is a registered trademark of the DuPont Company

Key Benefits

Description

Total-Lok™ Memory Gauge	Dispense gauge locks into position for rapid and accurate tinting of multiple container orders.
Bottom Agitation	Single motor system that drives the bottom of the paddle drive shafts. No obstructions when adding colorant.
Automatic Agitation Timer	Agitates automatically for 10 minutes every 7 hours. Manual override for more frequent or longer agitation.
Removable Nozzles in Variable Sizes	Improves flow and accuracy. Nozzles can be matched to colorant viscosity. Easily removed for fast, convenient cleaning. Sizes: S, M, L, XL.
Various Models & Sizes	Rotary and Inline models to suit your space requirements.
Two Year Limited Warranty	1 year labor, 2 years parts, the best in the business!
Auto Accu-Purge™	Ensures complete dispense reaches the can and reduces dripping & agitation.